

(12) United States Patent

Fukui et al.

(10) Patent No.:

US 6,277,395 B1

(45) Date of Patent:

Aug. 21, 2001

(54) SWALLOWING-ASSISTIVE DRINK

| (75) | Inventors: | Atsuko Fukui, Yotsukaido; Masanori |
|------|------------|--------------------------------------|
| | | Nakajima, Chiba; Takashi Kamijima, |
| | | Ina; Mika Ohta, Kamiina, all of (JP) |

- (73) Assignee: Ryukakusan Co. Ltd., Tokyo (JP)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: 09/524,247
- (22) Filed: Mar. 13, 2000

| (51) | Int. Cl. | •••••• | F | 701K | 47/00 |
|------|----------|--------------|--------|-------|--------|
| (52) | U.S. Cl. | 424/439; | 424/45 | 1; 42 | 4/464; |
| | | | | 42 | 4/489 |

..... 426/573, 577, Field of Search 426/578, 590; 424/439, 451, 464, 489

(56)References Cited

U.S. PATENT DOCUMENTS

| 3,978,243 * | 8/1976 | Pedersen 426/573 |
|-------------|--------|------------------------|
| 4,639,374 * | 1/1987 | Matsunobu et al 426/43 |
| 5,597,595 * | 1/1997 | DeWille et al 426/74 |
| 5,861,048 * | 1/1999 | Kamasaka et al 71/11 |
| 5,932,235 | 8/1999 | Ninomiya et al |

Plunger diameter 2cm (3.14Cm²)

Press rate 10mm/sec

Clearance 5mm

Measurement Temperature 20 ℃

FOREIGN PATENT DOCUMENTS

| 356023875A | * | 3/1981 | (JP) . |
|------------|---|---------|--------|
| 6-38693 | | 2/1994 | (JP) . |
| 7-309745 | | 11/1995 | (JP). |
| 7-116049 | | 12/1995 | (JP) . |
| 8-175971 | | 4/1996 | (JP) . |
| 9-187233 | | 7/1997 | (JP) . |

* cited by examiner

Primary Examiner-Thurman K. Page Assistant Examiner-Liliana Di Nola-Baron (74) Attorney, Agent, or Firm-Mark B. Garred; Stetina Brunda Garred & Brucker

ABSTRACT

To provide a swallowing-assistive drink for medicines that improves swallowing various medicines, is convenient and substitutable with ordinary drinking water, and does not disturb the efficacy of medicines and a swallowing method.

A swallowing-assistive drink for helping swallowing medicines that contains water and an adhesive paste, forming a viscous liquid or a gelatinoid. If the drink is viscous liquid, the viscosity is 1,000-25,000 cP at 20° C., and if the drink is gelatinous, jelly strength is 10-100 g/cm² at 20° C.

14 Claims, 15 Drawing Sheets

